



Fw: 902206 Pine View.pdf

Aaron Setran to: dwallis

05/28/2009 10:47 AM



Aaron Setran

Fw: 902206 Pine View.pdf

1 attachment



902206 Pine View.pdf

Aaron Carr Setran
U.S. EPA, Water Division
75 Hawthorne St.
San Francisco, CA 94105
(415) 972-3457

----- Forwarded by Aaron Setran/R9/USEPA/US on 05/28/2009 10:47 AM -----

"Brenda Stein" <brenda@exdengineering.com>

03/05/2009 11:18 AM

To Aaron Setran/R9/USEPA/US@EPA

cc

Subject FW: 902206 Pine View.pdf

Here is the partial report. It includes everything but the Coliphage. There still seems to be an issue. I hope to talk with you soon.

Brenda Stein P.E., M.B.A.
Principal Engineer
brenda@exdengineering.com



EXD Engineering & Land Surveying, Inc.

1641 Mono Avenue Minden, Nevada 89423
Ph: (775) 783-4772 Fx: (775) 783-4773

From: Cassie Cummings [<mailto:cassiec@wetlaboratory.com>]

Sent: Thursday, March 05, 2009 10:45 AM

To: Brenda Stein

Subject: 902206 Pine View.pdf

*Hi Brenda,
Here is a preliminary report (partial).
Thanks,
Cassie Cummings
Western Environmental Testing Laboratory
775-355-0202 (phone)
775-355-0817 (fax)*

cassiec@wetlaboratory.com (See attached file: 902206 Pine View.pdf)

